ELSEVIER

Hearing Research 166 (2002) 218–219

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 166

Ando, M., see Kakigi, A. (166) 54
Azuma, H., see Kakigi, A. (166) 54

Bianchi, C., see Parazzini, M. (166) 136

Chiumello, G., see Parazzini, M. (166) 136
Clerici, W.J., see Tuncel, U. (166) 113
Comi, G., see Parazzini, M. (166) 136

Davis, R.R., Murphy, W.J., Snawder, J.E., Striley, C.A.F., Henderson, D., Khan, A. and Krieg, E.F.
Susceptibility to the ototoxic properties of toluene is species specific (166) 24
Delahaye, R.
Contralateral inhibition in a release from forward masking (166) 44
Dieni, S., see Rehn, A.E. (166) 159
Dreiling, F.J., Henson, M.M. and Henson Jr., O.W.
The presence and arrangement of type II collagen in the basilar membrane (166) 166
Dreiling, F.J., Henson, M.M. and Henson Jr., O.W.
Immunolabeling type II collagen in the basilar membrane, a pre-embedding approach (166) 181
Durham, D., Park, D.L. and Girod, D.A.
Breed differences in cochlear integrity in adult, commercially raised chickens (166) 82

Eggermont, J.J., see Noreña, A. (166) 202
Enmark, E., see Stenberg, A.E. (166) 1

Fornara, C., see Parazzini, M. (166) 136

Gandour, J.T., see Wong, D. (166) 9
Gerken, G.M., see Hesse, P.A.S. (166) 143
Girod, D.A., see Durham, D. (166) 82
Grandori, F., see Parazzini, M. (166) 136

Hara, A., see Tsuji, S. (166) 72
Hardie, N.A., see Rehn, A.E. (166) 159
Henderson, D., see Davis, R.R. (166) 24
Henderson, D., see Hu, B.H. (166) 62
Henson, M.M., see Dreiling, F.J. (166) 166
Henson, M.M., see Dreiling, F.J. (166) 181
Henson Jr., O.W., see Dreiling, F.J. (166) 166
Henson Jr., O.W., see Dreiling, F.J. (166) 181
Hesse, P.A.S. and Gerken, G.M.
Amplitude–intensity functions for auditory middle latency responses in hearing-impaired subjects (166) 143
Higashiyama, K., see Kakigi, A. (166) 54
Hu, B.H., Henderson, D. and Nicotera, T.M.
Involvement of apoptosis in progression of cochlear lesion following exposure to intense noise (166) 62
Hultcrantz, M., see Stenberg, A.E. (166) 1
Hutchins, G.D., see Wong, D. (166) 9

Ikeda, K., see Xia, A.-P. (166) 150

Jen, P.H.-S., see Zhou, X. (166) 124
Jones, R.O., see Tuncel, U. (166) 113

Kakigi, A., Takeuchi, S., Ando, M., Higashiyama, K., Azuma, H., Sato, T. and Takeda, T.
Reduction in the endocochlear potential caused by Cs^+ in the perilymph can be explained by the five-compartment model of the stria vascularis (166) 54
Katori, Y., see Xia, A.-P. (166) 150
Khan, A., see Davis, R.R. (166) 24
Kikuchi, T., see Xia, A.-P. (166) 150
Kondrachuk, A.V.
Models of otolithic membrane–hair cell bundle interaction (166) 96
Krieg, E.F., see Davis, R.R. (166) 24
Krishnan, A.
Human frequency-following responses: representation of steady-state synthetic vowels (166) 192
Kusakari, J., see Tsuji, S. (166) 72

Learn, J., see Wong, D. (166) 9
Loeliger, M., see Rehn, A.E. (166) 159

Medaglini, S., see Parazzini, M. (166) 136
Minowa, O., see Xia, A.-P. (166) 150
Miyamoto, R.T., see Wong, D. (166) 9
Murphy, W.J., see Davis, R.R. (166) 24

Nicotera, T.M., see Hu, B.H. (166) 62
Noda, T., see Xia, A.-P. (166) 150
Noreña, A. and Eggermont, J.J.
Comparison between local field potentials and unit cluster activity in primary auditory cortex and anterior auditory field in the cat (166) 202

Oshima, T., see Xia, A.-P. (166) 150

Parazzini, M., Ravazzani, P., Medaglini, S., Weber, G., Fornara, C., Tognola, G., Vigone, M.C., Bianchi, C., Comi, G., Chiumello, G. and Grandori, F.
Click-evoked otoacoustic emissions recorded from untreated congenital hypothyroid newborns (166) 136
Park, D.L., see Durham, D. (166) 82
Pirvola, U., see Ylikoski, J. (166) 33
Pisoni, D.B., see Wong, D. (166) 9

Ravazzani, P., see Parazzini, M. (166) 136
Rees, S.M., see Rehn, A.E. (166) 159
Rehn, A.E., Loeliger, M., Hardie, N.A., Rees, S.M., Dieni, S. and Shepherd, R.K.
Chronic placental insufficiency has long-term effects on auditory function in the guinea pig (166) 159

Sahlin, L., see Stenberg, A.E. (166) 1

PII: S0378-5955(02)-

ELSEVIER

Hearing Research 166 (2002) 218–219

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 166

Ando, M., see Kakigi, A. (166) 54
Azuma, H., see Kakigi, A. (166) 54

Bianchi, C., see Parazzini, M. (166) 136

Chiumello, G., see Parazzini, M. (166) 136
Clerici, W.J., see Tuncel, U. (166) 113
Comi, G., see Parazzini, M. (166) 136

Davis, R.R., Murphy, W.J., Snawder, J.E., Striley, C.A.F., Henderson, D., Khan, A. and Krieg, E.F.
Susceptibility to the ototoxic properties of toluene is species specific (166) 24
Delahaye, R.
Contralateral inhibition in a release from forward masking (166) 44
Dieni, S., see Rehn, A.E. (166) 159
Dreiling, F.J., Henson, M.M. and Henson Jr., O.W.
The presence and arrangement of type II collagen in the basilar membrane (166) 166
Dreiling, F.J., Henson, M.M. and Henson Jr., O.W.
Immunolabeling type II collagen in the basilar membrane, a pre-embedding approach (166) 181
Durham, D., Park, D.L. and Girod, D.A.
Breed differences in cochlear integrity in adult, commercially raised chickens (166) 82

Eggermont, J.J., see Noreña, A. (166) 202
Enmark, E., see Stenberg, A.E. (166) 1

Fornara, C., see Parazzini, M. (166) 136

Gandour, J.T., see Wong, D. (166) 9
Gerken, G.M., see Hesse, P.A.S. (166) 143
Girod, D.A., see Durham, D. (166) 82
Grandori, F., see Parazzini, M. (166) 136

Hara, A., see Tsuji, S. (166) 72
Hardie, N.A., see Rehn, A.E. (166) 159
Henderson, D., see Davis, R.R. (166) 24
Henderson, D., see Hu, B.H. (166) 62
Henson, M.M., see Dreiling, F.J. (166) 166
Henson, M.M., see Dreiling, F.J. (166) 181
Henson Jr., O.W., see Dreiling, F.J. (166) 166
Henson Jr., O.W., see Dreiling, F.J. (166) 181
Hesse, P.A.S. and Gerken, G.M.
Amplitude–intensity functions for auditory middle latency responses in hearing-impaired subjects (166) 143
Higashiyama, K., see Kakigi, A. (166) 54
Hu, B.H., Henderson, D. and Nicotera, T.M.
Involvement of apoptosis in progression of cochlear lesion following exposure to intense noise (166) 62
Hultcrantz, M., see Stenberg, A.E. (166) 1
Hutchins, G.D., see Wong, D. (166) 9

Ikeda, K., see Xia, A.-P. (166) 150

Jen, P.H.-S., see Zhou, X. (166) 124
Jones, R.O., see Tuncel, U. (166) 113

Kakigi, A., Takeuchi, S., Ando, M., Higashiyama, K., Azuma, H., Sato, T. and Takeda, T.
Reduction in the endocochlear potential caused by Cs^+ in the perilymph can be explained by the five-compartment model of the stria vascularis (166) 54
Katori, Y., see Xia, A.-P. (166) 150
Khan, A., see Davis, R.R. (166) 24
Kikuchi, T., see Xia, A.-P. (166) 150
Kondrachuk, A.V.
Models of otolithic membrane–hair cell bundle interaction (166) 96
Krieg, E.F., see Davis, R.R. (166) 24
Krishnan, A.
Human frequency-following responses: representation of steady-state synthetic vowels (166) 192
Kusakari, J., see Tsuji, S. (166) 72

Learn, J., see Wong, D. (166) 9
Loeliger, M., see Rehn, A.E. (166) 159

Medaglini, S., see Parazzini, M. (166) 136
Minowa, O., see Xia, A.-P. (166) 150
Miyamoto, R.T., see Wong, D. (166) 9
Murphy, W.J., see Davis, R.R. (166) 24

Nicotera, T.M., see Hu, B.H. (166) 62
Noda, T., see Xia, A.-P. (166) 150
Noreña, A. and Eggermont, J.J.
Comparison between local field potentials and unit cluster activity in primary auditory cortex and anterior auditory field in the cat (166) 202

Oshima, T., see Xia, A.-P. (166) 150

Parazzini, M., Ravazzani, P., Medaglini, S., Weber, G., Fornara, C., Tognola, G., Vigone, M.C., Bianchi, C., Comi, G., Chiumello, G. and Grandori, F.
Click-evoked otoacoustic emissions recorded from untreated congenital hypothyroid newborns (166) 136
Park, D.L., see Durham, D. (166) 82
Pirvola, U., see Ylikoski, J. (166) 33
Pisoni, D.B., see Wong, D. (166) 9

Ravazzani, P., see Parazzini, M. (166) 136
Rees, S.M., see Rehn, A.E. (166) 159
Rehn, A.E., Loeliger, M., Hardie, N.A., Rees, S.M., Dieni, S. and Shepherd, R.K.
Chronic placental insufficiency has long-term effects on auditory function in the guinea pig (166) 159

Sahlin, L., see Stenberg, A.E. (166) 1

PII: S0378-5955(02)-

Sato, T., see Kakigi, A. (166) 54
Seaman, R.L.
Non-osseous sound transmission to the inner ear (166) 214
Shepherd, R.K., see Rehn, A.E. (166) 159
Snawder, J.E., see Davis, R.R. (166) 24
Sohmer, H.
Reply to the letter to the editor of R.L. Seaman (166) 216
Stenberg, A.E., Wang, H., Sahlin, L., Stierna, P., Enmark, E. and Hultcrantz, M.
Estrogen receptors α and β in the inner ear of the 'Turner mouse' and an estrogen receptor β knockout mouse (166) 1
Stierna, P., see Stenberg, A.E. (166) 1
Striley, C.A.F., see Davis, R.R. (166) 24

Tabuchi, K., see Tsuji, S. (166) 72
Takeda, T., see Kakigi, A. (166) 54
Takeuchi, S., see Kakigi, A. (166) 54
Tognola, G., see Parazzini, M. (166) 136
Tsuji, S., Tabuchi, K., Hara, A. and Kusakari, J.
Long-term observations on the reversibility of cochlear dysfunction after transient ischemia (166) 72
Tuncel, U., Clerici, W.J. and Jones, R.O.
Differential ototoxicities induced by lead acetate and tetraethyl lead (166) 113

Vigone, M.C., see Parazzini, M. (166) 136
Virkkala, J., see Ylikoski, J. (166) 33

Wang, H., see Stenberg, A.E. (166) 1
Weber, G., see Parazzini, M. (166) 136
Wong, D., Pisoni, D.B., Learn, J., Gandour, J.T., Miyamoto, R.T. and Hutchins, G.D.
PET imaging of differential cortical activation by monaural speech and nonspeech stimuli (166) 9

Xia, A.-P., Kikuchi, T., Minowa, O., Katori, Y., Oshima, T., Noda, T. and Ikeda, K.
Late-onset hearing loss in a mouse model of DFN3 non-syndromic deafness: morphologic and immunohistochemical analyses (166) 150
Xing-Qun, L., see Ylikoski, J. (166) 33

Ylikoski, J., Xing-Qun, L., Virkkala, J. and Pirvola, U.
Blockade of c-Jun N-terminal kinase pathway attenuates gentamicin-induced cochlear and vestibular hair cell death (166) 33

Zhou, X. and Jen, P.H.-S.
The effect of sound duration on rate–amplitude functions of inferior collicular neurons in the big brown bat, *Eptesicus fuscus* (166) 124

ELSEVIER

Hearing Research 166 (2002) 220–223

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 166

Aging
Presbycusis; Hair cell regeneration; Auditory; Deafness (Durham, D. (166) 82)

Anterior auditory field
Multiple-unit recording; Local field potential; Primary auditory cortex; Cat; Intracortical inhibition (Noreña, A. (166) 202)

Apoptosis
Cellular stress; JNK signaling; Inner ear; Hair cell; Ototoxicity; Therapy (Ylikoski, J. (166) 33)

Noise; Outer hair cell; Cochlea; Chinchilla (Hu, B.H. (166) 62)

Auditory
Presbycusis; Hair cell regeneration; Aging; Deafness (Durham, D. (166) 82)

Auditory brainstem response
Ischemia; Cochlea; Nitric oxide (Tsuji, S. (166) 72)

Prenatal compromise; Auditory deficit; Low birth weight (Rehn, A.E. (166) 159)

Auditory cortical processing
Speech perception; Positron emission tomography imaging; Reversed speech; Cochlear implant (Wong, D. (166) 9)

Auditory deficit
Auditory brainstem response; Prenatal compromise; Low birth weight (Rehn, A.E. (166) 159)

Basilar membrane
Type II collagen; Immunoelectron microscopy; Immunohistochemistry; Extracellular matrix; Scanning electron microscopy (Dreiling, F.J. (166) 166)

Type II collagen; Immunoelectron microscopy; Immunohistochemistry; Extracellular matrix (Dreiling, F.J. (166) 181)

Bat
Dynamic range; Inferior colliculus; Sound duration; Rate–amplitude function (Zhou, X. (166) 124)

Brn-4
Heterozygous female mouse; Cx26; Cx31; Na,K-ATPase; Na-K-Cl co-transporter (Xia, A.-P. (166) 150)

Cat
Multiple-unit recording; Local field potential; Primary auditory cortex; Anterior auditory field; Intracortical inhibition (Noreña, A. (166) 202)

Cellular stress
Apoptosis; JNK signaling; Inner ear; Hair cell; Ototoxicity; Therapy (Ylikoski, J. (166) 33)

Chinchilla
Ototoxicity; Toluene; Hepatic microsome; CYP2E1; CYP2B (Davis, R.R. (166) 24)

Apoptosis; Noise; Outer hair cell; Cochlea (Hu, B.H. (166) 62)

Cochlea
Apoptosis; Noise; Outer hair cell; Chinchilla (Hu, B.H. (166) 62)

Ischemia; Auditory brainstem response; Nitric oxide (Tsuji, S. (166) 72)

Cochlear implant
Speech perception; Positron emission tomography imaging; Reversed speech; Auditory cortical processing (Wong, D. (166) 9)

Cochlear microphonic
Compound action potential; Lead compounds; Reactive oxygen species; α-Phenyl-*tert*-butyl-nitrone; Ototoxicity (Tuncel, U. (166) 113)

Compound action potential
Cochlear microphonic; Lead compounds; Reactive oxygen species; α-Phenyl-*tert*-butyl-nitrone; Ototoxicity (Tuncel, U. (166) 113)

Contralateral
Forward masking; Masking release; Inhibition; Individual difference (Delahaye, R. (166) 44)

Cs^+
Stria vascularis; Intermediate cell; K^+ channel; Perilymphatic perfusion (Kakigi, A. (166) 54)

Cx26
Brn-4; Heterozygous female mouse; Cx31; Na,K-ATPase; Na-K-Cl co-transporter (Xia, A.-P. (166) 150)

Cx31
Brn-4; Heterozygous female mouse; Cx26; Na,K-ATPase; Na-K-Cl co-transporter (Xia, A.-P. (166) 150)

CYP2B
Ototoxicity; Toluene; Hepatic microsome; CYP2E1; Chinchilla (Davis, R.R. (166) 24)

CYP2E1
Ototoxicity; Toluene; Hepatic microsome; CYP2B; Chinchilla (Davis, R.R. (166) 24)

PII: S0378-5955(02)-

Deafness
Presbycusis; Hair cell regeneration; Aging; Auditory (Durham, D. (166) 82)

Dynamic range
Bat; Inferior colliculus; Sound duration; Rate–amplitude function (Zhou, X. (166) 124)

Edge effect
Middle latency response; Evoked potential; Hearing loss (Hesse, P.A.S. (166) 143)

Estrogen receptor
Turner syndrome; Mouse; Estrogen receptor β knockout mouse; Inner ear; Immunohistochemistry (Stenberg, A.E. (166) 1)

Estrogen receptor β knockout mouse
Turner syndrome; Estrogen receptor; Mouse; Inner ear; Immunohistochemistry (Stenberg, A.E. (166) 1)

Evoked potential
Middle latency response; Hearing loss; Edge effect (Hesse, P.A.S. (166) 143)

Extracellular matrix
Basilar membrane; Type II collagen; Immunoelectron microscopy; Immunohistochemistry; Scanning electron microscopy (Dreiling, F.J. (166) 166)

Basilar membrane; Type II collagen; Immunoelectron microscopy; Immunohistochemistry (Dreiling, F.J. (166) 181)

Formant
Human FFR; Steady-state synthetic vowel; Neural phase-locking; Temporal encoding (Krishnan, A. (166) 192)

Forward masking
Masking release; Contralateral; Inhibition; Individual difference (Delahaye, R. (166) 44)

Hair cell
Cellular stress; Apoptosis; JNK signaling; Inner ear; Ototoxicity; Therapy (Ylikoski, J. (166) 33)

Hair cell bundle
Model; Otolith; Stereocilia; Tip-link (Kondrachuk, A.V. (166) 96)

Hair cell regeneration
Presbycusis; Aging; Auditory; Deafness (Durham, D. (166) 82)

Hearing loss
Middle latency response; Evoked potential; Edge effect (Hesse, P.A.S. (166) 143)

Hepatic microsome
Ototoxicity; Toluene; CYP2E1; CYP2B; Chinchilla (Davis, R.R. (166) 24)

Heterozygous female mouse
Brn-4; Cx26; Cx31; Na,K-ATPase; Na-K-Cl cotransporter (Xia, A.-P. (166) 150)

Human FFR
Steady-state synthetic vowel; Neural phase-locking; Formant; Temporal encoding (Krishnan, A. (166) 192)

Hypothyroidism
Newborn; Transient-evoked otoacoustic emission; Wavelet transform (Parazzini, M. (166) 136)

Immunoelectron microscopy
Basilar membrane; Type II collagen; Immunohistochemistry; Extracellular matrix; Scanning electron microscopy (Dreiling, F.J. (166) 166)

Basilar membrane; Type II collagen; Immunohistochemistry; Extracellular matrix (Dreiling, F.J. (166) 181)

Immunohistochemistry
Turner syndrome; Estrogen receptor; Mouse; Estrogen receptor β knockout mouse; Inner ear (Stenberg, A.E. (166) 1)

Basilar membrane; Type II collagen; Immunoelectron microscopy; Extracellular matrix; Scanning electron microscopy (Dreiling, F.J. (166) 166)

Basilar membrane; Type II collagen; Immunoelectron microscopy; Extracellular matrix (Dreiling, F.J. (166) 181)

Individual difference
Forward masking; Masking release; Contralateral; Inhibition (Delahaye, R. (166) 44)

Inferior colliculus
Bat; Dynamic range; Sound duration; Rate–amplitude function (Zhou, X. (166) 124)

Inhibition
Forward masking; Masking release; Contralateral; Individual difference (Delahaye, R. (166) 44)

Inner ear
Turner syndrome; Estrogen receptor; Mouse; Estrogen receptor β knockout mouse; Immunohistochemistry (Stenberg, A.E. (166) 1)

Cellular stress; Apoptosis; JNK signaling; Hair cell; Ototoxicity; Therapy (Ylikoski, J. (166) 33)

Intermediate cell
Stria vascularis; K^+ channel; Cs^+; Perilymphatic perfusion (Kakigi, A. (166) 54)

Intracortical inhibition
Multiple-unit recording; Local field potential; Primary auditory cortex; Anterior auditory field; Cat (Noreña, A. (166) 202)

Ischemia
Cochlea; Auditory brainstem response; Nitric oxide (Tsuji, S. (166) 72)

JNK signaling
Cellular stress; Apoptosis; Inner ear; Hair cell; Ototoxicity; Therapy (Ylikoski, J. (166) 33)

K^+ channel
Stria vascularis; Intermediate cell; Cs^+; Perilymphatic perfusion (Kakigi, A. (166) 54)

Lead compounds
Cochlear microphonic; Compound action potential; Reactive oxygen species; α-Phenyl-*tert*-butyl-nitrone; Ototoxicity (Tuncel, U. (166) 113)

Local field potential
Multiple-unit recording; Primary auditory cortex; Anterior auditory field; Cat; Intracortical inhibition (Noreña, A. (166) 202)

Low birth weight
Auditory brainstem response; Prenatal compromise; Auditory deficit (Rehn, A.E. (166) 159)

Masking release
Forward masking; Contralateral; Inhibition; Individual difference (Delahaye, R. (166) 44)

Middle latency response
Evoked potential; Hearing loss; Edge effect (Hesse, P.A.S. (166) 143)

Model
Otolith; Hair cell bundle; Stereocilia; Tip-link (Kondrachuk, A.V. (166) 96)

Mouse
Turner syndrome; Estrogen receptor; Estrogen receptor β knockout mouse; Inner ear; Immunohistochemistry (Stenberg, A.E. (166) 1)

Multiple-unit recording
Local field potential; Primary auditory cortex; Anterior auditory field; Cat; Intracortical inhibition (Noreña, A. (166) 202)

Na,K-ATPase
Brn-4; Heterozygous female mouse; Cx26; Cx31; Na-K-Cl cotransporter (Xia, A.-P. (166) 150)

Na-K-Cl cotransporter
Brn-4; Heterozygous female mouse; Cx26; Cx31; Na,K-ATPase (Xia, A.-P. (166) 150)

Neural phase-locking
Human FFR; Steady-state synthetic vowel; Formant; Temporal encoding (Krishnan, A. (166) 192)

Newborn
Hypothyroidism; Transient-evoked otoacoustic emission; Wavelet transform (Parazzini, M. (166) 136)

Nitric oxide
Ischemia; Cochlea; Auditory brainstem response (Tsuji, S. (166) 72)

Noise
Apoptosis; Outer hair cell; Cochlea; Chinchilla (Hu, B.H. (166) 62)

Otolith
Model; Hair cell bundle; Stereocilia; Tip-link (Kondrachuk, A.V. (166) 96)

Ototoxicity
Toluene; Hepatic microsome; CYP2E1; CYP2B; Chinchilla (Davis, R.R. (166) 24)

Cellular stress; Apoptosis; JNK signaling; Inner ear; Hair cell; Therapy (Ylikoski, J. (166) 33)

Cochlear microphonic; Compound action potential; Lead compounds; Reactive oxygen species; α-Phenyl-*tert*-butyl-nitrone (Tuncel, U. (166) 113)

Outer hair cell
Apoptosis; Noise; Cochlea; Chinchilla (Hu, B.H. (166) 62)

Perilymphatic perfusion
Stria vascularis; Intermediate cell; K^+ channel; Cs^+ (Kakigi, A. (166) 54)

α-Phenyl-*tert*-butyl-nitrone
Cochlear microphonic; Compound action potential; Lead compounds; Reactive oxygen species; Ototoxicity (Tuncel, U. (166) 113)

Positron emission tomography imaging
Speech perception; Reversed speech; Auditory cortical processing; Cochlear implant (Wong, D. (166) 9)

Prenatal compromise
Auditory brainstem response; Auditory deficit; Low birth weight (Rehn, A.E. (166) 159)

Presbycusis
Hair cell regeneration; Aging; Auditory; Deafness (Durham, D. (166) 82)

Primary auditory cortex
Multiple-unit recording; Local field potential; Anterior auditory field; Cat; Intracortical inhibition (Noreña, A. (166) 202)

Rate–amplitude function
Bat; Dynamic range; Inferior colliculus; Sound duration (Zhou, X. (166) 124)

Reactive oxygen species
Cochlear microphonic; Compound action potential; Lead compounds; α-Phenyl-*tert*-butyl-nitrone; Ototoxicity (Tuncel, U. (166) 113)

Reversed speech
Speech perception; Positron emission tomography imaging; Auditory cortical processing; Cochlear implant (Wong, D. (166) 9)

Scanning electron microscopy
Basilar membrane; Type II collagen; Immunoelectron microscopy; Immunohistochemistry; Extracellular matrix (Dreiling, F.J. (166) 166)

Sound duration
Bat; Dynamic range; Inferior colliculus; Rate–amplitude function (Zhou, X. (166) 124)

Speech perception
Positron emission tomography imaging; Reversed speech; Auditory cortical processing; Cochlear implant (Wong, D. (166) 9)

Steady-state synthetic vowel
Human FFR; Neural phase-locking; Formant; Temporal encoding (Krishnan, A. (166) 192)

Stereocilia
Model; Otolith; Hair cell bundle; Tip-link (Kondrachuk, A.V. (166) 96)

Stria vascularis
Intermediate cell; K^+ channel; Cs^+; Perilymphatic perfusion (Kakigi, A. (166) 54)

Temporal encoding
Human FFR; Steady-state synthetic vowel; Neural phase-locking; Formant (Krishnan, A. (166) 192)

Therapy
Cellular stress; Apoptosis; JNK signaling; Inner ear; Hair cell; Ototoxicity (Ylikoski, J. (166) 33)

Tip-link
Model; Otolith; Hair cell bundle; Stereocilia (Kondrachuk, A.V. (166) 96)

Toluene
Ototoxicity; Hepatic microsome; CYP2E1; CYP2B; Chinchilla (Davis, R.R. (166) 24)

Transient-evoked otoacoustic emission
Hypothyroidism; Newborn; Wavelet transform (Parazzini, M. (166) 136)

Turner syndrome
Estrogen receptor; Mouse; Estrogen receptor β knockout mouse; Inner ear; Immunohistochemistry (Stenberg, A.E. (166) 1)

Type II collagen
Basilar membrane; Immunoelectron microscopy; Immunohistochemistry; Extracellular matrix; Scanning electron microscopy (Dreiling, F.J. (166) 166)

Basilar membrane; Immunoelectron microscopy; Immunohistochemistry; Extracellular matrix (Dreiling, F.J. (166) 181)

Wavelet transform
Hypothyroidism; Newborn; Transient-evoked otoacoustic emission (Parazzini, M. (166) 136)